

Hugh M. Nelson

THE
SOUTHERN PLANTER;

Devoted to Agriculture, Horticulture, and the Household Arts.

EDITED BY C. T. BOTTS.



Renew your subscription if you wish to continue the paper.

TERMS:—ONE DOLLAR PER ANNUM,

Which must be paid, *invariably*, in advance. Six Copies for Five Dollars. A subscription must commence with either the January or July Number.

↪ OFFICE ON MAIN STREET, OPPOSITE THE BANKS. ↪

RICHMOND:

PRINTED FOR THE PROPRIETOR BY P. D. BERNARD
1843.

December

ADVERTISEMENTS.

FOR SALE.

ONE of the most valuable tobacco plantations in the County of Powhatan.

An estate of 1700 acres in the County of Prince William, well watered, well timbered, and well enclosed, that can be purchased for \$2 an acre, if immediate application be made—a great bargain.

One of the finest estates on the upper James River, offering an opportunity to a large capitalist seldom to be met with.

A thousand acres of land on James River about 60 miles below Richmond; 700 heavily timbered. This property can be bought for about six dollars an acre; it lies immediately upon the River, the farthest point not being over three-quarters of a mile from the water's edge. The wood and timber would pay for the place three times over.

A splendid mansion with 20 acres of highly improved grounds, adjoining the delightful village of Fredericksburg. To a wealthy gentleman seeking a retreat in the neighborhood of the most polished society in Virginia, this property, which can be bought *very low*, offers great attractions.

Also a very fine farm in the immediate vicinity of Hampden Sidney College, where a gentleman who has children to educate, may avail himself of all the advantages of that celebrated institution.

Besides these, the subscriber is authorized to sell a variety of farms of almost every description, making his office the very best place of application for persons desirous of purchasing real estate.

C. T. BOTTS.

SINTON'S NURSERY, NEAR RICHMOND, VIRGINIA.



50,000 Grafted or Budded Fruit Trees, of fine size, are offered for sale by the subscriber, consisting of Apple, Pear, Plum, Cherry, Apricot, Nectarine, Almond, Fig, Grape Vine, Gooseberry, Currant and Raspberry, in great variety, and nearly all propagated from trees in full bearing in his Orchard, and embraces, perhaps, a selection that has not been surpassed for the climate of Virginia.

Catalogues with directions for planting may be had at Peyton Johnston's Apothecary Store, at William Palmer's Seed and Plough Store, and of Charles T. Botts, at the Office of the Southern Planter—where any orders left will be punctually attended to; and any letters addressed to Joseph Sinton, near Richmond, will receive prompt attention.

The subscriber would add that the above trees may be had from 25 to 50 per cent. less than the principal Northern Nurseries now charge, which a comparison of Catalogues will show.

He would also state that he has at this time a large number of trees of those 28 varieties, the apples of which he exhibited at the Henrico Agricultural Fair in the fall of 1841, and obtained the premium.

Nov. 28.

JOSEPH SINTON.

**WM. H. SMITH,
FURNITURE WAREROOM AND MAHOG-
ANY YARD,
Opposite the Banks, Richmond, Va.**

FOR SALE.




THE subscriber offers for sale the thorough bred Durham Bull, Young Althorp, got by the imported bull Althorp, his dam by imported bull Nelson, &c. Young Althorp is white and red, very handsomely formed, being remarkably compact and powerful in his make, and weighed when three years old upwards of 1400 lbs. Any gentleman wishing to improve his stock would do well to purchase him, as one better qualified cannot be found in the limits of the state; his pedigree, which is of the purest short horn blood, will be furnished with him. He can be had on very accommodating terms, and any information respecting him will be given, by applying (post paid) to the subscriber.

JAMES NORRIS.

Charlottesville, Albemarle County, Va.

VIRGINIA EDGE TOOL MANUFACTORY.



THE subscriber would call the attention of merchants, farmers and others to the fact, that he is now manufacturing and selling all kinds of **EDGE TOOLS** *cheaper* than they can be obtained any where in Virginia. All that he asks is a call before purchasing elsewhere, and he will satisfy those who are disposed to encourage HOME MANUFACTURE, that he can make as good **AXES**, &c., as can be made at the North, and will sell them for less than similar articles can be bought at the north. All persons are invited to call and examine, whether they wish to purchase or not. Orders for all kinds of iron work thankfully received and punctually attended to.—
Factory near Haxall's Mills.

JOHN HITCHCOCK.

Richmond, Nov. 14, 1843.

**LUDLAM, PRESTON & CO.
COMMISSION MERCHANTS,
Richmond, Va.**

GIVE their particular attention to selling crops of Tobacco, and make liberal advances on same. Office opposite Shockoe Warehouse.

**BROWN & TAYLOR,
COMMISSION MERCHANTS,
RICHMOND, VA.**

LUDWELL H. BROWN,
Office on the east side of the Basin.

EDWIN M. TAYLOR.

THE SOUTHERN PLANTER;

Devoted to Agriculture, Horticulture, and the Household Arts.

Agriculture is the nursing mother of the Arts.
Xenophon.

Tillage and Pasturage are the two breasts of the State.—*Sully.*

C. T. BOTTS, Editor.

VOL. III.

RICHMOND, DECEMBER, 1843.

No. 12.

CLIMATE.

We have once or twice called the attention of our readers to the American edition of the "Farmer's Encyclopedia." We observe that an article in this work upon the subject of "the influence of climate on the fruitfulness of plants," has provoked thunders of indignation from some of our southern cotemporaries, and they do not hesitate to denounce the whole work as unworthy of southern patronage, because of the libel perpetrated on the South. The objectionable article is peculiar to the reprint, and has been adopted into it from a number of the "American Journal of Geology and Natural Science;" the author is understood to be the American Geologist, Mr. Featherstonaugh. The position taken, is, that "the cultivated plants yield the greatest products near the northernmost limit in which they will grow." To support this visionary notion of a very visionary gentleman, various ingenious arguments and statements are resorted to. The latter are certainly gross misconceptions of facts; many of them, it is true, are of a very vague and indefinite character, but some of them are more precise and tangible. For instance, he speaks of the neighborhood of Philadelphia as being the latitude for *melons*. Surely the author had never eaten a watermelon or canteleup in Virginia, or he would never have ventured upon such an assertion. To be sure, the old maxim says, *de gustibus, non est disputandum*, there is no disputing about taste; therefore, the opinion of no one individual on this subject is to be preferred to another; hence we do not hesitate to oppose our own to that of the celebrated Mr. Featherstonaugh. Our opportunity for judging has probably been much greater than any he could have enjoyed. We have been in the habit for many years of paying annual visits to the North, and generally at that season when our melons have past, and theirs have just come into the market. Now, if we know a delicious, delicate fruit from a cold, insipid one, we may be trusted in saying, that

there is no comparison between the *flavor* of the northern melon, grape, and peach, and those that are raised in Virginia. Personally we are not acquainted with those that grow farther south, but have always imagined them to be even superior to our own. How is it with tobacco, one of the plants that our author alludes to in support of his theory? Its acknowledged perfection is attained in the region of Virginia, yet it grows, and is cultivated, as far north as Connecticut.

To various climates Providence has undoubtedly assigned various plants and fruits; and the greatest number of these will be found in those latitudes that lie between the two extremes; or, in other words, in the temperate zone. There is one circumstance that has, we think, served to mislead Mr. Featherstonaugh in his conclusions upon this subject. It is very true that plants have been gradually progressing northwards, and we believe the day is not very distant when melons and peaches may be grown to great perfection in Pennsylvania and further north; but it will be when these regions exchange the furs of winter for the mantle of summer. Let them not despair; *frigida Gallia*, is now translated "sunny France," and the clearing of forests and the opening of the earth are gradually extending equatorial warmth and fruitfulness into their inhospitable regions.

Upon the whole, we look upon this as a labored, and perhaps excusable, effort in a citizen of the North to persuade his countrymen of the existence of advantages which their rapid emigration to the South proved them to be ignorant of. But our Southern friends have shown themselves far too sensitive upon this subject, and by their extravagant and unjust denunciations of the excellent work into which it has been incorporated, they have given a notoriety and an importance to the article, which its intrinsic merits would never have commanded for it.

We cannot close these remarks, already too long for the subject, without noticing an opinion

expressed by Mr. J. T. Leigh in the last number of the Cultivator, as to the comparative healthiness of Mississippi and Virginia. That there are some spots in Mississippi more healthy than some spots in Virginia we do not entertain a doubt; but if Mr. Leigh thinks there is any kind of comparison between the general healthiness of the two States, we can only say, he is the only individual we ever heard express that opinion.

For the Southern Planter.

CHARCOAL.

In a late Cultivator I find that Mr. Weaver, of Rockbridge county, has reported the result of an experiment made by him of charcoal on wheat land. He states that he could perceive no effect in any way. I, too, (it will be recollected) have been making experiments with coal on wheat, corn and pasture; and now report: The lot of wheat consisted of three acres of poor level white clay, which is known to be most unfavorable to wheat. It was sown late, and being in a large grass field was grazed by sheep till late in the spring. It made about eighteen bushels of grain weighing sixty-four pounds to the bushel, and not a particle of rust was to be seen.

A portion of the corn ground which was coaled was of the same description as above mentioned—had never been manured, and produced more than double what it has ever done within the last thirty years. This corn took a handsome start to grow—was greatly checked by the drought of June, but the rains of July and August gave the above result, say six barrels to the acre.

It has been near three months since I was on the pasture ground, at which time I could perceive no effect from the coal, but doubt not of seeing it next year. Let it be remembered that Mr. Weaver's experience was with pure coal, mine with the commixture of coal and covering of the pit. Mr. W. does not state the quantity used by him, it is, therefore, probable that the quantity was large; thus furnishing an overdose of ammonia; in which event rust would be the consequence, as was the case with his field, whether coaled or not.

I shall continue my experiments and reports.

ZA. DRUMMOND.

Amherst, October, 1843.

From the American Farmer.

IMPROVEMENT OF CORN, WHEAT, &c.

I had the pleasure, a few days ago, of showing you a couple of stalks of corn, *each contain-*

ing seven perfect ears. They were taken from a field of twenty-five acres, on the farm of Gen. T. M. Forman, of Cecil county, Maryland, and were a fair sample of the crop. Gen. Forman informed me that he had many years ago adopted the plan of selecting his seed corn, always taking it from the stalks that have the greatest number of perfect ears; and that by continuing this practice he has brought his corn to the high quality represented by the specimens alluded to. This has been uniformly the result with all who have perseveringly practiced it. The first, I believe, to do so, was Mr. Cooper, of New Jersey, forty or fifty years since; then the "Maryland twin corn" was produced by some gentleman on the Eastern Shore; then the Baden corn was announced, and the Mercer corn, also; all were produced in the same way. General Forman intends to measure an acre, which shall be a fair sample of the whole field, and let us know the quantity of shelled corn it shall have produced; this will enable our farmers to compare the product of this corn with that of the common kinds.

A word or two on the utility of attending to such things by our farmers. The wonder is, that every body does not do it, and the only reason I can suggest for its not being done, is, that people are not generally aware, that all kinds of plants may be improved by careful attention to *breeding*, just as much as animals are. There are at this day very few farmers so ignorant as not to know that their horses, cattle, sheep and hogs, are wonderfully improved by a judicious selection of breeders. You will scarcely find a farmer now that does not improve his stock by this means. I need not enlarge on this fact. But where are they that improve their corn and wheat, and rye and oats, in the same way? They are only found here and there, and so seldom, that they are considered prodigies. Every body, almost, when he wants an improved article of this kind, purchases some celebrated kind for a trial, which may or may not be what is represented, or may or may not suit his soil or his climate; but never thinks of improving what he has already got. No one ever thinks of crossing the breed of his corn, wheat, rye or oats, and thus improving them; and very few even take the trouble of selecting the best of that which they have for seed. Let me assure our farmers that they can improve their corn and all other crops by *cross breeding*, just as easily as they can their animals. They can change the size and color of the cob; make the corn early or late, yellow or white, soft or flinty; all by *cross breeding*, with no cost and very little trouble.

Generally, all that is done to improve our crops is by manuring the land and cultivating the growing plants. Now for a moment let us see how it would do in improving animals,

merely to feed them well and give them good stabling, paying no attention at all to the selection of breeders. All will admit that stock raised and kept in this way would soon "run out," no matter how good it may have been at the beginning. Well, what is high feeding of stock but analagous to high manuring of land? The one feeds the cattle, the other feeds the crops; neither does any thing more than supply the wants of the individual animal or plant. It does not and cannot change the character or quality of its progeny. When *feeding*, either of plants or animals, does all it can, it does no more than simply keep the individuals as they were, in reference to their natures—it generally produces a good crop, or a fat animal, and that is all.

"But," I anticipate I shall be asked, "*how* are we to improve our corn, wheat, &c. by cross breeding?"

Wheat, rye and oats, may all be treated alike—and the process given for one will answer for all. Take several *good kinds* of wheat, bald headed and bearded, blue stem, purple stem, red and white, five or six kinds in all; mix them together thoroughly, and sow the parcel in some good ground at a considerable distance from any other wheat field. At harvest time go into the field and select the best heads, those that are largest, best filled, and that contain the best grains, on the shortest and robust stalks, and keep the seed for another year's sowing. The next year at harvest make the same selection for seed. Continue this selection for two or three years, and then you will find you will have a wonderfully improved variety of wheat. But to keep the quality of this new wheat up to its standard, and even to continue the improvement, you ought always to select a quantity for the succeeding year's sowing in the same way. This is not as troublesome as at first sight it appears to be. A half a bushel or a bushel of seed wheat may easily be selected in this way in a few hours—hours that possibly might not have been devoted to as profitable employment.

The *cross breeding* of corn requires a little more trouble. You have an excellent kind of corn, but it is late in maturing and has rather a large cob. Select some other kind of corn that ripens as early as you desire, and has the right sized cob. Plant your late kind as early in the spring as you can, in every alternate hill, leaving the other hills vacant. At a later period, say twenty to thirty days later, (according to the difference between the two kinds,) plant the vacant hills with the early corn. The place of the experiment should be remote from any other corn field. Cultivate both in the usual way, until you observe the tassels of the early kind beginning to push. Then carefully cut out all the tassels of this early kind—do nothing to the late kind. Watch carefully and cut out all

tassels as they appear from this kind. When the corn is ripe select all the good ears of the early kind for next year's planting. Plant this selected seed in the usual way the second year, and when ripe, select the best ears of the earliest ripening. You will find in these ears a variety of grains in shape and color, and of different quality—there will be grains resembling both original parent stocks. Now select the grains that suit you. All the grains will produce a small cob and early corn; but some of the grain on the cobs may be small and inferior like the original parent; therefore, on this the third year, select the grains. Generally this third planting will establish the variety; but the better way is to continue to select your seed every year. You may now select seed with a view to increasing the number of ears to the stalk; but take care to avoid selecting small ears simply because there are many on the stalk. If you find a stalk with three full sized ears, it is better to take them than those from a stalk that has four small ones.

By these means corn is susceptible of almost any degree of improvement and change of character; and I am fully satisfied that there is no one branch of agriculture that would so well pay for the small amount of labor and attention required.

AGRICULTURAL AND HORTICULTURAL FAIR OF THE HENRICO SOCIETY.

On the first day of November, the Agricultural and Horticultural Society of Henrico, held their sixth fair in the public room of the Exchange Hotel. The fall meeting is chiefly horticultural, and we were rather disappointed at the meagre exhibition of fruits and vegetables. We missed, particularly, that beautiful display of dahlias, that gives such a charm to these exhibitions in the northern cities.

But there was a new feature added to the exhibition this year, that we were pleased to find excited the liveliest interest among the visitors. Premiums were, for the first time, offered for the best specimens of mechanical skill in the different arts, and the exhibition proved, as we knew it would, that our city artisans, in several departments, can vie with any in America, probably with any in the world. There was a case of surgical instruments from the manufactory of Mr. KERN, that we have good authority for saying cannot be excelled, hardly equalled, in the Union. There were displays of harness and saddlery by Messrs. COLQUITT, OTEY and AUSTIN, that would have done honor to the best exhibition at the American Institute in New York.

Mr. SAMUEL DENOON exhibited grates of patterns and workmanship to please the most fastidious. Mr. HILL, in addition to some elegant boots that would have graced the foot of the most exquisite dandy, exhibited a pair of shoes of superior workmanship, substantial and neat, the very thing for a farmer's wear. These unanimously secured him a premium in this department. We must not omit the beautiful display of guns and rifles from the manufactory of Mr. THOMAS TYRER, for which the Society awarded him an honorary medal. Virginia sportsmen will hereafter need go no further than Mr. Tyrer's shop to supply themselves with an outfit in the most elegant and approved style.

But above all, we were most astonished at, and interested in, a pair of blankets of superior quality from the manufactory of Mr. BONSACK, in Botetourt. We should like to know something of the history of an establishment that produces such goods as these, and will be much obliged to Mr. B. or any friend of his who will introduce us to the establishment. We are satisfied that the day will come, when the sheep and wool business will be a great one in Virginia. The sheep are only waiting for the manufactories, and the manufactories are only waiting for the supply of wool.

But to return to the exhibition. The specimens of needle work were very beautiful, and excited great admiration. The fair altogether, was esteemed by many the most interesting ever held by the Society.

The mechanical department, interesting as the exhibition was, was not half represented, and we think we see that a degree of emulation has been excited among the mechanics of Richmond, that will, another year, lead to an exhibition, which of itself will be worth a visit from the most distant part of the State.

An address was delivered before the Society by C. T. BORTS, Esq., of the merits of which it does not become us to speak.

From the South Carolina Planter.

LARGE YIELD OF POTATOES.

I have delayed sending an account of my last year's potato crop, as I promised, until the account kept by the boys who did the work, is lost, so that I am unable to arrive at the cost. The quantity of ground was 32 square rods of old and poor land, manured with stable manure and broke deep, then furrowed off with a shovel

plough, about 21 inches apart, the furrows nearly filled with barn-yard or long manure, the potatoes cut and dropped; the pieces about nine or ten inches apart in the furrows on the manure, then slightly covered with a hoe, leaving the surface smooth. The whole was then covered with leaves and trash from the woods, three or four inches thick, then some heavier litter, such as drifted brush from low grounds, sedge, corn-stalks and weeds, thrown on to prevent the wind taking off the leaves.

Here ended the tending, except where the trash was not thick enough to prevent weeds springing up, they were pulled out by hand.—The planting was done in the latter part of the Third month last, the product was $121\frac{1}{2}$ bushels, being a fraction over $3\frac{1}{2}$ bushels to the square rod, or $607\frac{1}{2}$ to the acre. The planting was from the stock I have had for several years past, and the product quite as fine as I ever saw from the mountains.

THOMAS T. HUNT.

Springfield, Guilford Co., N. C. }
Third mo. 1st, 1843. }

ORCHARDS.

We hope those who are without them, will not permit another season to pass without supplying themselves with an abundance of young fruit trees. If its convenience and value are properly estimated, there is probably no acre on the farm that pays so well for the labor bestowed upon it, as the orchard. We are satisfied, and are prepared to satisfy others, that the climate and soil of Virginia are as well adapted to the growth of apples and peaches as any in the Union. We mentioned the fact last year that pippins raised in this State are so much more highly esteemed in this city than the northern apple, that they bring fifty cents in the barrel more in the market. We have just received from a friend in Goochland a present of a barrel of pippins, that in flavor and quality are equal to any we ever saw. And yet the old idea was, that a pipkin was not fit to eat unless it came from New England. Peaches, too, as we have asserted over and over again, attain a flavor in this climate that is totally wanting in the large, fine looking, highly cultivated fruit of the North. Yet "with all the means and appliances to boot," we are in the general miserably supplied with this delicious and healthy gift of nature; whilst in the more ungenial region of the North, every fifty acres is furnished with its well selected, neatly trimmed, and highly cultivated orchard.

By the bye, talking about orchards, in the course of our peregrinations this fall, we fell in with a very curious work, entitled "Prime facts for the *Farmer, Fruit Grower* and the *Public*." It is made up of opinions and statements furnished Mr. M. R. Bartlett, the Editor, by Mr. JOHN FORMAN, of Western New York. Mr. Forman is represented as a practical farmer and

most successful fruit grower. His management of his peach trees is to us entirely novel, and as it comes so strongly recommended by the author's reputation for success in his peaches particularly, at the risk of being a little prosy, we will give it in his own words.

The engraving represents his

RENOVATED PEACH TREE.



"The peach tree seed demands, invariably, a dry, warm, and strong soil, free of stones, weeds, and grass, and smally declining in some direction, so as to avoid standing pools of water.— From this ground, which should be located quite remote from all old and sickly peach trees, the weeds, &c. should be carefully dressed out two or three times during each season, and all cob-web nests, and the homes of insects, should be thoroughly brushed away. Any other course than this, may possibly save labor, but it inevitably leaves the infant tree exposed to incurable disease and early decay.

"In the next place, in order to preserve the nursery plant from the visitation of the white grub-like worm and all other unfriendly insects, the earth immediately about the root of each plant, must be effectually drenched with stale

chamber lye, and this must be followed up faithfully during the months of August, September and October of each year of the seedling's nursery growth. The free application of this lye to the ground about the plant, has been found effectual in keeping every kind of noxious insect out of the way, and preserving the plant not only in a healthy state, but in a fair and thrifty condition for the orchard.

"Well tested experiments effectually show that dry, elevated, and rolling ground, is not only the most inviting, but the most safe and the most certain. And should the surface chance to be quite broken and quite rocky, these form no serious objections.

"Much of the success in the cultivation of this fruit, is generally supposed to depend upon the direction of the descent of the ground of the

peach orchard; but the point of declination, is not in fact of any great moment. Experience proves that the *north* and *west* pitch, will, in ordinary seasons, produce the greatest amount of fruit; while the *southern* and *eastern* pitch, bring the earliest and richest flavored fruit.

"The training of a Peach Tree in a single stem, &c. The evils arising from this mode of culture, may be all easily and effectually remedied by substituting the following course of cultivation, viz:

"1. In planting the young trees in the orchard, say about one year after the ingraft, care must be taken, in the first place, to *set them some ten or twelve feet apart*; this distance will admit a free team passage about the orchard. Then, in the next place, further care must be taken to *plant the roots of each seedling full eight inches lower in the earth than the depth at which it stood in the nursery*. This distance down places the roots quite out of the reach of the bug and the worm, and gives them a fair hold upon the earth and the nutriment which it furnishes.—Then, if it should so happen that the worm or other insect, bark the tree and bore it, and even kill it at the ground, new shoots will immediately spring up from the safely bedded root, strong and full of health, and thus keep the orchard stock in good condition.

"2. In the spring, next following the planting of the orchard, each tree must be cut off at the ground. Then, from the root or stump thus left in the earth, fresh sprouts will soon shoot up, as in the subjoined cut, and *these are to form the future peach tree*.

"The thrifty stems severed from the stump, may, if taken off at the swell of the *leaf bud*, be separated into *slips* of about ten or twelve inches in length, and *planted some eight or ten inches deep* in the earth, leaving simply a fair sprouting space above the surface. These slips, if the ground be rich, fine, compact, and kindly disposed, will also sprout and grow, forming roots downward, and shoots upward, and this too, as experience teaches, in six or eight cases, as an average, in every ten.

"4. The sprouts springing from the deeply grounded root, and forming the *peach tree*, are all held in an upright and family-like position, by the body of earth which surrounds them; and although the ground in which they stand may be extremely rich, and full of appropriate nourishment,—and the sap very profuse, yet, being divided among so many suckers, it affords to each but a moderate share of nutriment; and that share may be easily regulated to suit any quality of ground by increasing or diminishing the number of sprouts.

"One great object in this mode of culture, is to secure, *not a rapid, but a very moderate, not to say, slow growth of the tree, and at the same time, a sound and durable quality of timber, with a smooth*

and safe bark into which the rain and sleet will not penetrate, nor will the frost or post-worm find a ready entrance.

"4. But should the *white grub*, in his rambles, or the *black bug*, in his flights, chance to reach one or two of these sprouts, or even all of them at a single visit, which in fact would be a very rare occurrence, and prey upon them, they would all die as a matter of course; but then the *root* is safe; it has felt neither the sting of the one nor the tooth of the other; and it will soon send up new and healthy shoots,—*an entire healthy and graceful peach tree*.

"Experience has proved all this, and it has also proved, that, in such cases, an excess of shoots will often spring up, and make a too minute division of the sap, thereby endangering the health of the whole family of sprouts; therefore, *these sprouts must be trimmed out and the number graduated to the condition of the soil*. In this trimming, however, some thought must be had as to the nature and state of the ground, its location, pitch, &c. In *poor land* some three or four shoots are enough, and six or eight in *rich soil*. Then, as to the relative position and promise of the plants,—division is one object, the preservation of the largest and most thrifty, is another, and both, and all demand the exercise of *judgment*. But let it be borne in mind, that this surplusage of shoots, let them come whence and when they may, *must be removed only at early trimming time*.

"These thrifty sprouts, whether from the root of the nursery tree, or from one killed by the grub, will begin to bear fruit the second or third year; and by the sixth or seventh year, they become extremely prolific and elegant. In this way, the stock of peach trees may be preserved in a perfectly healthy state, secure from all ordinary casualties, the late spring frosts excepted, for many years; ay, for whole generations, and rarely show the symptoms of the *YELLOWS*, as the sickly foliage is generally designated, or the decay of a root or a stem.

"It may here be observed that, in order to promote the *purity of the peach orchard*, and preserve the beauty and quantity of the fruit, the *hog* should be allowed the free range of the whole ground, from early grass time up to the ripening of the choice peach; and when he is restrained from this range, all exposures of the roots of trees, to the ravages of insects, &c., should be carefully covered up, and the ground left somewhat rounding or rising rather than hollow; for standing water is a deadly foe to the peach tree."

Mr. Forman indignantly complains of the impositions practised by some of the northern nurserymen, and threatens, unless his general complaints produce a reformation, to give names

and places, with a startling statement of practices that are resorted to by some of these gentlemen.

We would take this occasion to say to all our friends within striking distance of Richmond, that our old friend, Mr. JOSEPH SINTON, is prepared to supply any orders for fruit trees of the very best kinds. We believe the most implicit faith may be placed in the integrity and honor of Mr. Sinton. He has been long tried, and as far as we know, his trees have given universal satisfaction.

MANUFACTURE OF MANURE.

If you have a family and keep a horse and cow—or cow only—you are able to manufacture, annually, one hundred cords of manure, which shall be worth to you or to purchasers, who will be glad to pay you the money for it, nine shillings, or even two dollars per cord.

Suppose your barn is near your house. Suppose, also, you dig and stone up a large vault under the barn, into which all the urine of the horse or cow, and their other excrements, shall be deposited. Let your sink drain also lead into this repository. On the way, between the sink and the barn, let the privy be placed, under which the soap suds and other washings from the sink shall be discharged, on a plank floor, into the depository under the barn. Let that be the common receptacle of the sink, privy and stable. Keep a horse or ox cart, or even a wheel barrow,—and between April and November, be sure to carry into that vault sods or other materials from the roads and fields, amounting to three cords per week, for the whole season. The next spring you will have at least, one hundred and fifty cords of manure, saturated with animal and human excrement, and the washings of the sink and wash rooms, which will be of the strongest and best kinds, and which will be worth every cent of two dollars per cord. In all human probability, the contents would bring you two hundred dollars. Is this not worth the pains? It may all be made so much clear gain, with little or no pecuniary cost to the housekeeper.—*IV. A. Drew's Plough Boy.*

For the Southern Planter.

OVERSEERS.

Mr. Editor,—I am suffering under the most intolerable thralldom to which a poor devil was ever subjected, and unless you in your wisdom can afford me some relief, I must give up in despair. I am afflicted with an overseer, who is one of the most faithful, industrious, obstinate, hard-headed and conceited beings that ever

walked on two legs. I am a young farmer, lately come into the possession of a large estate, and the fellow's knowledge of the practical and mechanical part of my business, is absolutely necessary to me; moreover, his hard-fisted honesty, notwithstanding his ignorance and obstinacy, prevents me from discharging him. In short, sir, I fear the old man of the sea was not seated more securely on the shoulders of poor Sinbad, than is this fellow on my premises. But whilst he continues here, I am the veriest slave on the plantation; for I have no will of my own. I am fond of reading agricultural works, and sometimes indulge in ideas of very extensive and judicious improvements; but to carry them out I am compelled to resort to the practical assistance of Mr. R., the gentleman before mentioned. Accordingly, in the blandest and most conciliating manner in the world, I suggest to him the advantage of trying some improved mode of culture that I have seen highly recommended in the Planter. He answers, "of course if I order him to do it he will try it, but he knows it will never do in the world;" and sure enough, it never does "do." If at considerable pains and expense I procure some improved implement, which has been brought to my notice in my agricultural papers, no matter how admirably it may work for a day or two, whilst I am superintending it, in a little time I find it laid up in the barn, and I am briefly informed that it is "out of order and of no manner of account." Thus, notwithstanding my great desire to adopt and profit by the improvements of the age, notwithstanding I feel confident that by improved culture the product of my farm could be doubled, here I am, working exactly as my great grandfather did before me, continuing the same unscientific and destructive system that my venerable ancestor pursued. Is not this intolerable? Yet, what am I to do? My neighbors tell me if I dismiss my present tyrant, I shall probably get one in his place with more conceit and less honesty. Will you, Mr. Editor, assist me with your advice in this dilemma, and oblige

Your obedient servant,

T. S.

We feel for our friend, and will not withhold from him the consolation and assistance our poor advice can afford. In the first place then, we say to him, discharge your overseer and attend to your business yourself. With your superior intelligence and information, you can soon become infinitely better skilled in what you call the "practical and mechanical part of your profession," than the prejudiced, ignorant booby you have described, ever could be. If you must have a superintendent, take care to be superior to him in every department of your business,

and let that superiority be recognised and acknowledged.

Various causes have been assigned for the supposed retarded state of agriculture in the South, but in our opinion, nothing militates more against the progress of improvement amongst us, than the universal system of employing overseers. We know it is much the fashion, especially with the demagogue who wants their votes, to laud this class of men; nor do we mean to say that there are not many honorable, liberal, intelligent individuals among them; but our observation has led us to the conclusion, that, for the most part, they are ignorant, prejudiced, and obstinate, in the extreme; and we have no doubt that the picture of his own situation drawn by our friend T. S., although perhaps a little highly colored, is a faithful portraiture of the influence exercised by these men upon southern agriculture.

Very large proprietors can afford to employ men of skill and intelligence to superintend their estates, but we respectfully ask if the small farmer, of three or four hundred acres, would not do better by attending to his own business than by employing another to do it for him? Remember the old maxim, "if you want your business done, employ another; if you want it well done, do it yourself."

The *Pictorial Times* and *Illustrated London News*, containing descriptions of the Fair of the Royal Agricultural Society at Derby, were sent from this office to several of our exchange papers, and we suspect the *Southern Planter* and the *South Western Farmer* are indebted to us for the papers they have acknowledged from another source. Certain it is, we sent them copies of the papers mentioned.—*Cultivator*.

The only copy of these papers that we received were marked as coming from the office of the *Agriculturist*. But we are as much indebted to our friends of the "*Cultivator*" as if their intended kindness had been received.

EFFECTS OF DROUGHT PREVENTED BY DEEP TILLAGE.

To the Editor of the *Southern Planter*:

Dear Sir,—I made an experiment on a small scale during the past season, the object of which was to satisfy myself as to the advantage or disadvantage of close planting and deep tillage of corn with reference to its ability to withstand

the effects of a very dry season. The result as to the first branch of the experiment was unsatisfactory, while that of the second branch was a clear demonstration to my mind of the great utility of deep tillage, or subsoil ploughing where the soil will not admit of a deep upturning, in enabling the corn to resist the effect of drought. I selected a square in my garden through which a trench had been opened the previous season two feet deep and about eight feet wide. This trench was filled up and levelled with the common surface, and after manuring the whole broadcast with litter from the farm-pen, it was prepared and planted at the earliest period the season (a late one) would permit, at the distance of three feet each way, two rows running through the length of the trench, and the whole was thinned to two stalks in the hill. It grew off finely and was advanced to the critical stage of earing when the late drought occurred. From this the corn suffered great injury in general, but the part which grew over the celery trench retained its verdure and freshness during the prevalence of the drought, whilst nearly every blade of the remaining part of the square was frequently seen to be in a twist.

I submit the facts of this experiment—the public may draw their own inferences.

Yours respectfully,

CH. B. WILLIAMS.

PEAS AS AN IMPROVER.

We have been requested by a subscriber to obtain some information for him upon the subject of using peas to improve poor land. In the absence of any original information we make the following extracts from a communication lately made by MR. EDMUND RUFFIN to an agricultural society in South Carolina:

"The almost universal mode of raising the pea crop in South Carolina is by planting among corn. The length of the summer permits this planting to be done after the corn is well advanced in growth, and for the peas to have time to perfect their growth after that of the corn has ceased. Universal experience seems to have confirmed the value and profit of the pea crop thus made. But this mode, however advantageous, seems to me of far less benefit, than either of several other modes. Of one of these I have myself had large and satisfactory experience, under a less favorable climate—and others I have but just seen in this neighborhood, or elsewhere in this State.

"Whatever may be the amount of product, or of profit, from raising peas among corn, as a secondary cultivated crop, it is attended with much trouble in the planting and separate tillage.

"Peas (like red clover, which is also a plant of the pea tribe,) draw sustenance very largely from the atmosphere, by their system of broad leaves, compared to what they draw from the soil. Hence such plants take less from the land, and return more to it, than any others, and, therefore, are the best of manuring or meliorating crops, to be alternated with the more exhausting grain, and tillage crops. In this respect, red clover has stood unrivalled, because in the more northern and improved lands, where its admirable manuring and cleansing qualities have been fully experienced, peas cannot be as well raised. From some trials made here, there is good reason to hope that red clover may be raised to great advantage, even without lime, the application of which would ensure its perfect success. But, even if this were not so, the pea crop sown broadcast is scarcely less valuable than clover as a manuring crop, and superior to it in several other respects. And the great ground of recommendation of the pea crop, is that it may be introduced after either of several different grain crops, and to fill longer or shorter intervals of time, which would otherwise be fruitless for melioration, or serve to fill the land with foul weeds and depredating insects. In this manner, peas may be advantageously used to improve and add to any scheme of rotation of crops—lessening the exhausting operation and destructive effects of the worst rotations—or making one really improving and excellent, which without the addition of peas would be more exhausting than meliorating.

"The principal experience which I have had of peas as a manuring and cleansing crop in my own practice, was the sowing the field broadcast, upon a good and clean ploughing, and harrowing in the seed, (of the cow pea, or some other variety producing much vine and leaf,) about one and a half bushels to the acre. The crop at or near maturity of the more forward pods, should be well ploughed under about a month before the time to sow wheat. The wheat should be sown on the same furrow, and covered by the harrow. This is an admirable preparation, serving by the thickly covering and shading and smothering and subsequently killing of the peas, well to cleanse and also to manure the land, and to produce a much better crop of wheat than can possibly follow corn, cotton, and still more, wheat itself or other broadcast grain. The sole objection to this preparation is the cost of the ploughing for the pea seeding; and this perhaps may be often saved by a new practice of which I have recently learned something elsewhere. The black pea, and also a dark red pea, will lie upon the ground, or remain covered therein, through winter without rotting, and will germinate and grow in the spring. Availing of this property, these peas have been successfully sown both late in autumn

(or early part of winter,) with wheat, and in spring with oats. The peas grow but little until the grain crop is removed, and then grow rapidly, and soon form a good cover. It is not to be supposed that this plan will always succeed. But it has done well, on a small scale of operations, for three years as conducted by Wm. R. Davis, Esq. in Fairfield, and for six years on a larger scale, by Major J. Littlejohn in Union.

"If it be not desired to use the broadcast pea crop to prepare for and measure for wheat—or if it be preferred to save the crop for hay—then the latter may be done, as I had the benefit of seeing but a few days ago, on the neighboring plantation of one of your Society, the Hon. J. C. Calhoun. The crop of peas was mowed by the scythe; and after laying a few hours in the sun, and without being turned, the vines were put up in high and narrow cocks around a stake five or six feet high, to stand until cured enough to be stored in the house. This plan (which, by the way, with smaller cocks, is the best mode I have ever known of curing all kinds of grass for hay)—saves the trouble of turning the hay with forks, and the loss by such turning causing the dropping the leaves and shedding the ripe peas, as well as too much sunning the hay.—The provender thus saved is excellent, and the land is left clean for any succeeding crop. In this case, the cow pea was the variety used, and the sowing was in May, at the rate of two and a half bushels to the acre.

"A still more admirable plan of raising peas I saw on part of the same plantation. The seed had been sown broadcast (one bushel to the acre) in the corn land at the last ploughing, which was in July. The crop of corn we suppose may be twenty-five bushels to the acre; and the peas (as seen on the 26th of September) formed a thick and rank cover of the whole ground."

PLOUGHS.

We have been in the habit of considering a guage wheel to a plough an appendage of very doubtful utility, and we believe it has been almost universally discarded in the few instances in which it has been introduced amongst our old fashioned Virginia farmers; although the truth is, we believe three-fourths of them never saw a plough with a wheel to it, and many of them have very little idea to what part it is attached. Yet we find the following remarks in the report of the committee who superintended the ploughing match at the grand State fair at Rochester, New York:

"Many of them came unprovided with a

guage wheel, and the difference of draft was so great, with or without a wheel, that those who had not a wheel, borrowed one before they would go through with a trial. Your committee think this point settled in the minds of every one who saw this trial, that a wheel is an indispensable accompaniment to a good plough in sward land, or indeed in almost any other."

For the Southern Planter.

PLASTER OF PARIS.—CHARCOAL.

Mr. Editor,—A distinguished politician of the West adopted as his motto, "Clay first, Clay last, and Clay all the time." My motto as a farmer is, Manure first, Manure last, and Manure all the time. It is a well known fact, that most of the farmers east of Richmond, who have been induced to sow plaster upon their fields, have long since given up the use of it as worthless, and upon some minds a strong prejudice exists against its use, not having seen, as they say, the least beneficial results from it.—Plaster is a very insoluble substance, requiring nearly five hundred parts of water to dissolve one of plaster. When it is sown upon the soil, therefore, and acts beneficially, it is owing to its chemical action. Unless it comes in contact with some substance in the soil capable of decomposing it, it will remain unchanged and inert, and no good result can be expected to follow its use. Professor Liebig's theory, that plaster decomposes the ammonia that falls in rain water, I am disposed to call in question, for the following reason.* It is rational to conclude that the same quantity of ammonia, (which he says is always present in rain water) would be brought down in one place as in another, and the beneficial effects of plaster would be (according to his theory) everywhere alike manifest. This we know from experience is not the case. But I must be permitted to say that where the use of plaster comes to be properly understood, it is, in my judgment, destined to hold a high rank among the farmers of the East, as it now does among the farmers of the West. To all I would say, use plaster liberally in constructing your manure and compost heaps; never allow either to ferment without a proper admixture of ground plaster in the heap. In this way the plaster is decomposed, and two compounds are formed, sulphate of ammonia and carbonate of lime, and the volatile portion of the manure heap will be retained for the use of crops. And here I

* The fact that plaster and carbonate of ammonia mutually decompose each other when brought into contact at common temperatures I do not for a moment call in question. The decomposition, however, is slow. The quantity of plaster is so small generally when sown upon the surface, and the action upon some soils so different from that of others I cannot subscribe to his theory about rain water and plaster.

would respectfully urge upon my brother farmers to adopt some plan without delay to save the liquid manure of their animals. The ready wit of every farmer will suggest the manner of doing it. Some might be aided by reference to an article of mine in your paper, January number for 1842. If the solid and liquid excrements cannot be saved together in a well constructed reservoir, water tight, and protected from the weather, the solid may be fermented by pouring the liquid upon it, but don't forget the PLASTER. After fermentation especially, in all cases, it should be protected from the weather, or much of the value will be lost from drenching rains. I have nearly filled two sides of my sheet, but I must say something about

CHARCOAL.

Professor Liebig has said, charcoal *previously heated to redness*, will absorb ninety times its volume of ammoniacal gas. I have no doubt of it. Mark the words in italics, "previously heated to redness." Charcoal has also great affinity for carbonic acid, but it has a greater affinity for water than for any of the gases; when filled with either carbonic acid or ammoniacal gas, upon being made wet this gas will be liberated and the pores of the charcoal become filled with water. Now suppose from exposure to the atmosphere the pores of the charcoal should be filled with carbonic acid. Then place it over a stream of ammoniacal gas, the ammonia could not enter, because it could not displace the carbonic acid; but suppose the farmer should use charcoal in his manure heaps instead of plaster, and it should be in a condition to absorb the ammoniacal gas, the character of the ammonia is still the same; charcoal does not deprive it of its volatility; consequently, the moment it is disengaged by the charcoal becoming wet, there is danger of a loss of all the ammonia.

I have made the foregoing plain remarks in regard to charcoal, because I perceive from the agricultural periodicals it is becoming very fashionable, and I fear many fatal mistakes will be the result.*

In conclusion, I must again say to all, use ground plaster liberally in your stables, cowsheds, manure and compost heaps, and the result cannot be doubtful.

I remain truly, yours,

GEO. WOODFIN.

SALTING HORSES.


A curious fact is mentioned in Parker's *Treaties on Salt*. "A person who kept sixteen farming

* Charcoal is most usually recommended to be used about manure heaps to retain the ammonia,—I would not rely upon it. Will Mr. Drummond give us the practical results of his experiment with charcoal as a manure?

horses, made the following experiment with seven of them which had been accustomed to eat salt with their food. Lumps of rock salt were laid in their mangers, and these lumps, previously weighed, were examined weekly, to ascertain what quantity had been consumed, and it was repeatedly found that whenever these horses were fed on hay and corn, they consumed only about $2\frac{1}{4}$ or 3 ounces per day; but that when they were fed with new hay, they took six

ounces per day." This should convince us of the expediency of permitting our cattle the free use of salt at all times; and it cannot be given in so convenient a form as rock salt, it being much more palatable than the other article in a refined state, and by far cheaper. A good lump should always be kept in a box by the side of the animal, without fear that it will be taken to excess.—*Selected.*

A GRUBBING FORK.



We present our readers with an engraving and description (taken from *Thaer's Principles of Agriculture*) of an implement that will, we think, be found very useful in the tedious business of *grubbing*:

"Sometimes for the purpose of extirpating shrubs a lever is used, armed at one of its extremities with a very strong trident of iron, the prongs of which are usually 20 inches long.

"As they must be able to endure a great strain, the part of the instrument which joins the socket and the socket itself should be very strong. Into this socket a pole is introduced which serves for a lever, which should be stout, of solid wood, of ash if possible, and 15' or 20 feet long. To the extremity of the handle a cord is attached 8 or 10 feet long, with a cross bar, by means of which several men can exert their strength at once upon the lever. After the strongest lateral roots have been cut, the trident is thrust under the stock or stump, in an inclined position, then a block is placed under the handle or lever, which is placed so near the stump as to raise the extremity of the handle 10 or 12 feet, then by means of the cross-bar attached to the cord the workmen bring down the upper part of the handle till the roots yield to their efforts. By the aid of this instrument, simple as it is, astonishing things can be effected, and when it is insufficient more complicated machines will run great risk of being broken."

For the Southern Planter.

COMMENTS.

It will be noticed that I have ceased to comment on the contents of the *Southern Planter*. This has been caused by the complaints of one who says I treated him rudely, or words to this amount. It should be remembered that in this manner of writing one has to travel an unfrequented path over rocks, hills and valleys, and through mud and water. In the case above alluded to I unfortunately got into the mud, and in the headlong efforts to extricate myself, I bespattered an unknown friend, of which he heartily complains. Now, behold the garments of my friend have been purified by the communication which my comments elicited, and in which he complains of me; but I am yet bemired and silent, and determined to remain so unless the gentleman or the public shall see fit to lift me once more to a perpendicular.

INVESTIGATOR.

We regret the determination of our correspondent. We are aware of the peculiar delicacy of the position he assumed as a commentator upon the contents of the *Planter*. There is no species of communication more useful than a fair, candid and *gentlemanly* review of the opinion of others; for it is only by a free and liberal discussion of points on which we differ, that we can expect to arrive at the truth. At the same

time, there is nothing more objectionable in itself, or more calculated to restrain the communications of others, than an uncourteous, carping critique upon every thing that appears. We know "Investigator" to be a sound, practical, and successful farmer, and we hope still to have the benefit of his experience in the shape of "comments," always presuming that they will be marked by that kind regard for the feelings of others, which we know to be characteristic of the individual.

For the Southern Planter.

REPLY TO R. R.

Mr. Editor,—In reply to the communication over the signature of "R. R." on "Overseers' Wages," that appeared in your last number, I would say that, in consequence of bad health I have been unable to redeem the promise made in the May number of 1841, over the signature of T. I. P. that in a future communication I would undertake to show more fully "the bad results of giving an overseer an interest in the crop," and am now indebted to the assistance of "*un copiste*" in sending you this; and instead of having recanted my previous views and opinions concerning the bad practice of giving overseers an interest in the crop, time has only served to confirm me in them.

The practice of giving overseers a part of the crop was a custom that prevailed thirty years ago, and the errors and consequences of which the improvements of agriculture have tended greatly to expose; and there are now found comparatively few that carry out this system.

The late Dr. William Meriweather, of this county, the most scientific and practical farmer of his day, and who was half a century before his cotemporaries in farming, was never known to give an overseer a part of his crop. The conflicting interest of one year with the gradual improvements of the farm for subsequent years, is evident; and a conscientious employer would find it at once in direct opposition to the interest of the overseer to be engaged in improvements in which he would have no interest.

I will conclude with saying that I deem the practice altogether inconsistent with any thing like progressive improvement on a farm; and as you have so ably sustained my views on this subject, I leave you in future to answer any thing that may be said upon it.

Yours, &c.

T. I. P.

Amelia, Nov. 1, 1843.

P. S.—I would state that I have the promise of being put in the possession of the agricultural diary of the distinguished farmer mentioned, (Dr. Meriweather) and will send you, if

my health permits, some extracts from it from time to time. His fame as a farmer was known all over Virginia.

T. I. P.

We have often heard of Dr. Meriweather and shall be much pleased to receive the extracts from his diary.

To the Editors of the Louisville Journal:

Gentlemen,—Having noticed in your paper a call on the farmers to send you their experience of this year in the different branches of farming and of the improvement of the soil, I will proceed to give you mine in the raising and ploughing under of broadcast corn. We had a field of thirty-seven acres which had previously and the year before been cultivated in corn, and the soil of which required renovating; and, believing nothing could be sown which would more speedily accomplish the end proposed than broadcast corn, I proceeded accordingly. The field, previously to being sown, had not been broken up and the old stalks still remained upon the ground.

About the latter part of April I commenced sowing. Upon thirty acres I sowed two bushels of corn per acre, and upon the remaining seven, three bushels per acre, and ploughed the whole under, old stalks and all, two inches deep.

It came up and all grew equally until about two feet high, when a marked difference began to present itself, and at the age of maturity that which was sown thick had scarce reached five feet high, whilst the other had attained the height of seven or eight feet. Hence we see, for two reasons, a decided advantage in favor of thin sowing: first, because it requires less corn; and, secondly, your stalks will grow both larger and taller, and from my own observation I may add that less than two bushels per acre would perhaps be advantageous. And now comes the ploughing under. Finding it impossible, with the aid of a log-chain reaching from the beam of the plough to the end of the double-tree, to turn it under as well as desired, I determined to seek some other mode, and for that purpose knew of nothing better than the roller, which I accordingly procured, and commenced rolling it down by lands of suitable width for the plough to follow. The roller is of such weight that when drawn by two horses it will mash the stalks down flat with the ground, and I can unhesitatingly say that stalks, even ten or twelve feet high, may in this way be completely turned under to the depth of four inches without injury to the horses.

Were my only object the rapid improvement of the soil, within the shortest space of time, I would not seek further or better means than first sowing down thick with rye, which I would plough under just before the time of ripening,

to prevent its seeding the ground, and upon which I would sow one bushel and a half of corn per acre; thus, in the same season, ploughing under a heavy coat of rye and corn, which, in the short space of twelve months, will equal if not surpass any benefit which can be derived from clover in two years.

Though last, not least, another important advantage to be taken into consideration is, that by this double process your land is less exposed to the deteriorating effect of the sun's rays, when a rye crop is ploughed under in June and corn sown broadcast, than when with corn alone you would be compelled if sown early to plough under in August, and consequently your land would be left exposed to the scorching influence of an autumnal sun.

October 12, 1843.

BOMMER'S MANURE METHOD PUT IN PRACTICE.

We extract the following certificate of the value of the manure made by Bommer's process from the last number of the *Cultivator*. We have in our own possession the most satisfactory testimonials of its efficiency in producing speedy decomposition, and of the *apparent* value of the manure. But nobody hereabouts has yet had an opportunity of testing its effects upon a crop; although no one who has seen the manure after it is made, seems to have any doubts upon this point. As far as our information and experience go, the time required to produce perfect decomposition is rather underrated. Of course different materials will be longer or shorter in rotting, but we rather think that the average will require from four to six weeks. But our information is drawn from experiments made during the last summer, when the process was undoubtedly much retarded by the excessive rains for which the season was so remarkable.

"*Messrs. Gaylord & Tucker*,—Being a subscriber and constant reader of your valuable agricultural publication, I frequently find there, articles on 'Bommer's Method of Making Manure.' As these articles are chiefly from the pens of agriculturists who have followed this method with entire success, it affords me unfeigned pleasure to be able, on my own behalf, also to bear testimony to the value of this method, and through the medium of your paper, to make the results of my experiments and operations known to my fellow-citizens. This I do, both for the sake of bringing before the public the great advantages derived from using the method spoken of, and the benefits insured

me by its application, and at the same time in order to render a deserved tribute to the truth.

"On purchasing Bommer's method last spring, I immediately prepared a heap in the presence of a few neighbors. I followed strictly the directions laid down in Bommer's book.—After the lapse of a fortnight, the heap was opened in the presence of a number of farmers, and our astonishment cannot be conceived on seeing the metamorphosis which had taken place, as we found all those weedy and stramineous materials of which the heap had been constructed, reduced to rich black manure, having an ammoniac smell, much more pungent than the best stable manure. Beholding so surprising a result, the farmers present formed themselves into a public meeting, and in that capacity nominated a committee from their midst, who were charged with the preparation of a report of what we had seen, to be sent to the agricultural press.

"I ploughed in this manure into one-half of a field intended for potatoes, and in order to institute a comparison of effects, I put the same quantity of my best stable manure into the other half of the field. The effect on the soil was very nearly the same with both these kinds of manure; but the vegetation on that part of the field which had been furnished with Bommer's manure, was more luxurious and the foliage of a deeper verdure, which I attribute to the richness of the saline matter which it contains, and which alone preserved the humidity of the soil during the severe drought of this last season. It is proper to remark also, that in the composition of the 'Bommer manure,' I employed simply such doses of the ingredients as were absolutely necessary to insure success in the operation of making it, and if I had increased these quantities, there is not the least doubt that the result of the Bommer manure would have been very far superior to that of any horse manure.

"Perfectly satisfied with my experiment and its results, I have put up fixtures near my barnyard for the purpose of preparing large quantities of this manure; and within the last two months I have made three heaps, which have yielded me between 200 and 300 loads of excellent manure. The last heap was composed entirely of 100 loads of sedge grass, nearly dry, with which I intermixed 40 loads of swampy matter, such as exists on my farm. All my outlay in purchasing ingredients to form the lye for this last heap, amounted to between \$20 and \$30, and in disbursing this trifling sum, I have made a heap of manure, which I would not dispose of for \$250.

"I shall prepare other heaps of manure before the winter sets in, and those who may be desirous to see me at work and to assure themselves of the truth of what I have said, need

only call at my farm, and judge for themselves. The benefits which I derive from using this method are not inconsiderable. Before becoming acquainted with it, I purchased every year from three to five hundred dollars worth of manure, which I needed over and above that of my own farm-yard, for the two hundred acres which I have. Now I do not purchase one penny's worth, and I can make double the quantity if I choose. I have the advantage of producing my manure in the sowing and planting season. I can make it more or less strong, more or less fermented, so as to suit the soil and the kind of crop for which I want it; I spread and plough it in while it is perfectly fresh, and consequently in all its strength. These are some of the results experienced by me in using Bommer's method of manuring land.

JERRIT KOUWENHOVEN.

Flatlands, L. I., Sept. 15, 1843."

For the Southern Planter.

AGRICULTURAL APHORISMS.

NO. VII.

As the stalk of corn in the field, so the young man; both must be cultivated or their fruit will be chaffy.

Some men subsist by labor of the body, some by labor of the mind; a combination of both is important to success.

Some men write without thinking, some think without writing; the one is willing and not able, the other able and not willing.

There is no profit without capital. The merchant's capital is his money; the farmer's capital is his manure bank.

Winter time is hard by, and I venture to admonish every farmer to count his cattle, and then his hay stacks, and if the one shall exceed the other, then either sell, eat, give away, or kill the surplus to keep them from dying.

Agriculture is favorable to morals, to health, and to wealth.

Mankind might do without physicians, if they would observe the laws of health; without lawyers, if they would keep their tempers; without soldiers, if they would observe the laws of Christianity; and perhaps without preachers if each would take care of his own conscience; but there is no living without farmers.

ARGUS.

Amherst, October, 1843.

FODDER.

We observe that Mr. RUFFIN, in a communication to an agricultural society of South Carolina, expresses the opinion, that more injury results to the grain from pulling the fodder and

cutting the tops of corn than is counterbalanced by the value of these substances as articles of food; so that if by being permitted to remain they were entirely lost, and the labor of gathering were estimated at nothing, it would be better to leave them on the stalk. Some late experiments that he has witnessed in the manufacture of sugar from cornstalks in different stages of their growth, have satisfied him that the grain uses up and requires all the saccharine matter of the stalk and leaves, and that as long as there is a spark of vitality in these, they are ministering to the growth and perfection of the seed.

For our own part, we doubt not that the growth of the grain is often checked and that *shrivelling* is often produced by pulling the leaves and topping the plant too early. How the account will stand between the gain of fodder and the shrinkage of the grain, we are not prepared to say. But admit that the superior character of the fodder secured by early pulling will not compensate for the injury to the grain; still, we think even after the leaves have performed all their functions and the plant has ceased to grow, that the tops and leaves may be gathered to great advantage. The saccharine matter, even, has not been all exhausted as chemical analysis proves, and other nutritive properties undoubtedly remain. In the North even the lower part of the stock is recommended as affording excellent food, and fully justifying the labor and expense of gathering and passing through the cutting box.

From the Southern Cultivator.

ON CLEARING LAND.

Messrs. Editors.—Permit me, through your paper, to communicate some of my ideas to my brother farmers on clearing land—I might say experience. The plan I have tried successfully for several years, is this:—I grub, cut the fire-wood, and rail timber, kill the timber left standing, and split the rails in the course of the fall and winter; heaping no more brush than will give me sufficient pass-way to haul the fire-wood out as I need it. In that condition I let it lay one year, with the exception of shrubbing the ensuing summer, and the spring following I have a fine piece of mellow new ground, ready for inclosing and cleaning up, the standing timber all dead, the fibrous roots, the leaves and trash all rotten, and the land very often producing a double crop the first year. Nor does it stop there; for I believe the good effects may

be seen for six or eight years after. Need I tell any rational man that the first year's rest is worth more in enriching the soil, when the brush and timber are lying on it, than any two or three years after it has been in cultivation? Let me invite them to look at our wood-lands, with the growth so dense that you can scarcely ride through it, the face of the earth covered two or three inches deep with leaves, and ask them to determine whether, if all be cut and burnt off the same winter, as is usually done, their land is not greatly impoverished? Need I argue with my brother farmers so plain a case? I think not; for if they will reflect one moment on the two plans, I believe they will try mine, and I venture to say if once tried they will pursue it in future.

My next clearing I expect to let lay two years, with all cut and killed on it but the rail timber, and the second winter I will cut and split the rails, leaving all on the ground one year, and I expect by doing so my land will be worth more than double the same lands cleared in the usual way.

And now, Messrs. Editors, in looking over your paper, I am surprised to find so few contributing towards supporting it with their practical modes of farming. We want Georgia farming—surely no place needs improving more than middle Georgia—and I do hope that there is intelligence and patriotism enough in middle Georgia to make your paper appear what every good citizen should wish it to be.

ROBERT CALDWELL.

For the Southern Planter.

GALLS AND GULLIES.

Mr. Editor,—From the wretched system of cultivation in many parts of Virginia, the farms present an uncomely aspect from innumerable galls and gullies. Experience has taught me that these may be stopped without any very great labor. Every one in the field intended for corn, ought to be stopped. It is the more necessary, because observation will soon teach one that when the hill sides are deeply ploughed and kept well cultivated, that but little superfluous water passes down the gullies; and hence there is less danger of their washing out after having been filled up. The best time for the operation is as soon as the land thaws after a severe freeze; or during some wet time when it would not be proper to work in the fields. I commence by running a two-horse plough up one side and down the other, so as to throw the dirt into the gully. The horse next the gully should be coupled to the other by a long cord, and that to the trace of the other below the attachment of the backband. This precaution will be found necessary, so that if he fall in he

may not pull his fellow after him. The gully is a convenient deposit for any thing that may lie in the way, such as logs, stumps, rocks, brush, &c., but they are by no means essential for the success of the operation.

It is generally necessary to have some hands with hoes, mattocks, &c. as there are many places that the plough cannot reach in consequence of the zigzag form of the gully, until some digging be done. Also many gullies have forks, or prongs, so that the ploughing cannot be done until a crossing place be made near the main gully. I am in favor of continuing the operation only until the place becomes such that a single-horse plough can cross with ease, and then leave the balance to the gradual washings of after years. When I have arrived at this stage I cover the whole place well with manure and sow small grain, (or peas,) and turn in the manure and small grain together, and then sow a mixture of different kinds of grass seeds with plaster of Paris, and cover the whole with straw. In a few days the grain will put up through the straw and hold it so closely to the earth that the most washing rain will not remove it. I prefer a mixture of red clover, herdsgrass and greensward seeds.

In the subsequent cultivation of the field the gullies should remain untouched by the plough or hoe; and in a little time the grass will form such a sward as to catch a sufficiency of dirt, during the washing of rains, to render the original gully nearly level.

Those who have not tried this plan may be incredulous; but such as doubt, may examine my farm and see for themselves, that gullies thus treated, have seldom been injured by washing rains. It is often the case that less time will be required to stop a gully than would be lost in turning the plough during the cultivation of the crop.

Every farmer ought to get clear of his gullies in four or five years, according to the number of shifts he may have on his farm.

I can say but little of the efficacy of hill side ditches to prevent gullies from washing out, but do not doubt their usefulness. I should have tried them if my professional engagements would have permitted me.

If the foregoing should not benefit any one, it may serve to elicit information from some person more competent to instruct.

R. D. PALMER.

October 28, 1843.

WOUNDS ON HORSES.

Take one-quarter of a pound of saltpetre, half a pint of spirits of turpentine—put them together in a bottle, and shake up before using.—Apply to the wound with a feather three times a day.—*Central New York Farmer*.

TOBACCO AND CORN.

We make the following extract from a very excellent essay read by Mr. Richard F. Darra-cott before the Agricultural Society of Hanover:

TO THE HANOVER AGRICULTURAL SOCIETY.

Essay on "the propriety of extending the culture of Tobacco," and the best means of cultivating the same.

In considering the utility of cultivating tobacco, it is deemed advisable to enter upon an estimate of the comparative value of that and the corn crop, for a portion of which it is usually substituted. All will readily admit, that the crop which affords the largest profit to the planter, on the labor expended, will enable him, other things being equal, to make the greatest improvement of his farm, and to enhance the comforts of his home.

Let the comparison be made thus: Take an acre of land rich enough to produce eight barrels of corn, and estimate the value of the crop as follows:

Eight barrels of corn, at 15 shillings per barrel,	\$20 00
Four cwt. of blade fodder, at 50 cents per cwt.	2 00
Shucks, stocks and top fodder, may be put at	2 00
	<hr/>
	\$24 00
Land that will produce 8 barrels of corn per acre, will, with equal certainty, bring 10 cwt. of tobacco, which being estimated at \$4 per cwt. will produce the sum of	40 00
	<hr/>
Giving a balance in favor of the tobacco crop of	\$16 00

It is manifest, that to make a crop of tobacco, requires more labor than to make one of corn; but much of the additional labor requisite to be done, is performed by small and infirm hands, and at a season of the year when not much else of importance is found to engage the farmer's attention; and when the weather is so inclement, that it would be imprudent to employ the laborers out of doors. The more convenient and cheaper transportation of the crop to market, is a saving to the planter, by no means to be overlooked in the estimate. Another advantage properly placed to the credit of this crop, is that it is a cash article. The farmer receives the whole sum at once, and may immediately make such disposition of it, as his necessities require or his inclination prompts.

It is difficult to estimate with accuracy, the difference in the amount of labor required for the cultivation of the two crops, but it may be safely asserted, that it does not amount to more

than \$6 per acre, against the tobacco crop; which being taken as the difference, will leave still in its favor, the sum of \$10 per acre.


The foregoing estimate, if correct, settles the point, that tobacco, and that at a low price, is a more profitable crop than corn, its natural competitor. It will of course be understood, that if there takes place any considerable change in the prices of these articles, the estimate should vary according to the change; and that in districts of country where the soil has a peculiar fitness for corn, and is illy adapted to the growth of tobacco, the reverse of the above calculation will most likely prove true.

If, then, we have established the fact, that more profit is realised for one year, from one acre of land cultivated in tobacco, than in corn, we will next proceed to the consideration of the comparative injury sustained by the land, when cultivated in the one or the other crop. The prevailing opinion is, that tobacco is the greater exhauster of the two, and that no farm can be kept long from rapid deterioration, on which it is extensively cultivated. This erroneous opinion, I think, has been fixed in the minds of the present generation, by the land killing system pursued by our ancestors; who, finding it the most money making crop, and that their rich lands, cultivated in it, would pay them a large per centage on the capital invested, cultivated them year after year, successively, without regard to the necessity of rotation in crops, and without much regret at witnessing their manifest depreciation, under a system of the most exhausting cultivation, well knowing that from the abundance of rich virgin land in this country, they could easily, when they had exhausted one farm, obtain another. Such a course of tillage was well calculated to induce those, who judged from appearances, and without reflection on the subject, to conclude, that tobacco was more injurious to land than any crop whatever. But, on proper investigation of the matter, no reason will be found, to justify such a conclusion; while, on the contrary, there is abundant ground to sustain a different opinion. For, tobacco being a tap root plant, draws a portion of its support from beneath the soil, while its many broad leaves receive a large portion of nourishment from the carbonic acid and carbonate of ammonia, contained in the atmosphere. Another advantage arising from the cultivation of tobacco is, that wheat grows better when preceded by it, than by any other crop. The greatest objection to the tobacco crop is, that it affords a very small amount of offal, from which manure may be made; but this evil is more than compensated for in the excess of profit arising from the tobacco; for, according to the foregoing estimate, the whole of the offal of the eight barrels of corn made on the acre, amounted, in value, to four dollars only, the manure itself

amounting to probably not more than one dollar, on the value of one tierce of lime, which being subtracted from the sum remaining, in favor of the tobacco crop, would still leave a handsome surplus to be expended, if desired, in enriching the land. It may also be given, as a reason for the cultivation of this article of luxury, that the greater portion of it is consumed, and, of course,

paid for by the subjects of foreign nations, and serves the purpose of commerce, instead of specie, which it may be to our interest to retain at home. Again, by making tobacco, we necessarily abstract a portion of labor from the cultivation of corn, and keep up the price of a staple article, that might otherwise sell so low as not to compensate the farmer for making it.

CHURNING APPARATUS.



We have had a great many inquiries lately for a good churn. Although we pretend to some little acumen in telling good butter when we have an opportunity of tasting it, we confess ourselves rather ignorant of the means by which it is made. We have transposed from the "American Agriculturist" the engraving above, and the letter below in reference to it. The writer is a distinguished farmer, and we have no doubt an excellent judge of the apparatus he recommends. If the principle is a good one, it is very apparent that a footboard and upright may be substituted for the ground and the tree, and thus a machine may be formed, which, being removeable in falling weather, will secure us good butter, "hail, rain, or shine." Has any body got a better churn than this? If so, let us hear from him.

Slangollen, Ky., Oct. 9, 1843.

In my late visit to Virginia, I met with an efficient churning apparatus, a side drawing of

which is given above. Its merits are its cheapness and simplicity. A boy or girl of twelve years of age can with great ease work three or four churns. The principle, you will perceive, may be applied to any number of churns, worked by any motive power proportioned to their number and capacity. All the parts are of wood, except the crank, axis of the fly wheel, and pins. The beam is fourteen feet long, divided into two parts by the iron pinion which it turns; of these parts the shortest, or that next the churns, is six feet, the other eight. The fly wheel is of wood, five feet in diameter, made with a heavy rim. The crank is adapted to the depth of the churns. The churns should be placed on a board with marks to indicate the exact position of the base of each churn. Take out the pins in the upright shafts, and the churns are detached, and may be removed.

JOHN LEWIS.

HUZZA FOR HENRICO.

We have been informed that Mr. JOHN M. BOTTS has raised this year one hundred bushels

of corn upon an acre of land. This we believe is an unprecedented yield for Henrico, and we would be obliged to Mr. Botts for a history of the transaction. We should like to know, in the first place, how he ever came to think of attempting such a thing, after the declarations so repeatedly and positively made that the climate and soil of Virginia were not adapted to corn; and then, we should be pleased to learn the means by which he effected it.

When you dig your potatoes and gather your vegetables, carry the vines and other refuse to the pig pen; also have your swine supplied with the requisite quantity of weeds—let it be as regular as the rising of the sun, and you will find by the end of September there will be few left for seed. It is not half the labor that it will be next year to subdue their offspring; and you gain by this operation two-thirds the keep of four hogs on an ordinary farm of one hundred acres. This is profit even for the avaricious.—*Farmers' Advocate.*



This number closes our labors for the year, and we feel conscious that our dollar has been fully and fairly earned. We hope too that our subscribers generally are satisfied that for their penny, they have got their penny-worth. We are not so vain nor so stupid as to imagine we have given universal satisfaction. There are two sorts of people who we are conscious have lost by their speculation in the Planter, and who, we presume, will stop their subscriptions; certainly, we should advise them to do so.—These two classes comprise, first, those individuals who are already so well informed that there is nothing more for them to learn, and secondly, those who are so ignorant that they have not even a desire to learn. We believe that our book contains a very small number that would properly come under either of these heads, and we hope, therefore, that whilst we anticipate large additions to our list, we have no reason to fear many withdrawals from it. We

would not be understood as censuring any gentleman because he don't choose to subscribe to the Planter; on the contrary, we doubt not that many show their wisdom in preferring other publications to it; but we do mean to express the opinion, openly and boldly, that *every farmer who does not take an agricultural paper fails to avail himself of the best opportunity of investment that can be afforded him.* We will make a present of the Planter to any individual, who, over his own name, will have the hardihood to deny and attempt to refute this proposition.

We are always pleased at the arrival of the period which renews our connection with our friends and patrons. Many imagine, no doubt, that the dollar is all we get for a year's subscription; let us tell them that it not unfrequently happens, that at this period of the year, we receive from old and valued friends a letter enclosing a dollar in money, and ten times as much in compliments and congratulations; we can assure them that the money is often times the least valued part of the communication.

Since we have published our intention to stick to the cash system and to send no paper that is not paid for in advance, we have received two or three letters in which the writers have begged us not to stop their papers because they might not have an opportunity of sending the money at the close of the year; requesting us to consider them subscribers for life. We are much flattered by these testimonials of esteem, and hope our friends will not take it unkindly that we are compelled to stick to our rule *without exceptions.* Let them understand how we keep our books. Our old subscribers are registered under their particular post offices, which are all regularly indexed. Well, we have said to our clerk, make a cross mark opposite the name of each gentleman as he pays for the year 1844, and send the paper only to the cross marks. Now, how shall we mark those gentlemen whom we are perfectly willing to trust, and who say to us send the paper and we will pay you hereafter? If we mark them with a cross, they stand paid, and if they are not so marked, the clerk is very apt to miss them in mailing; so, gentlemen, you see it is very apparent, that human ingenuity can devise no means by which you will be sure of getting your paper *except that of handing to the postmaster, as soon as possible, one dollar, which he will kindly frank to us, and which will entitle you to all the benefits of the cross mark.*

THE
SOUTHERN PLANTER,

A MONTHLY PERIODICAL,

DEVOTED TO

AGRICULTURE, HORTICULTURE AND THE HOUSEHOLD ARTS.



VOLUME III.
CHARLES T. BOTTS, EDITOR.

RICHMOND:

PRINTED BY P. D. BERNARD, MUSEUM BUILDING.

1843.



INDEX.

A.

Address—Review of Dr. Wight's, p. 53. Of Mr. A. C. Morton's, p. 200.
Agriculture—Its extent and importance in England, p. 123. The estimation in which it is held in Virginia, p. 124. Nature of the science of agriculture, p. 227.
Agricultural Schools—Necessity for, p. 14.
Animal Manure—Experiments with decomposed animal matter, p. 11.
Ants—To get rid of black or red ants, p. 18.
Aphorisms—p. 137, 188, 216, 235, 278.
Apricots—To secure the fruit, p. 61.
Artichokes—Experiments in raising Jerusalem artichokes, p. 10. Directions for cultivating, p. 73.
Asparagus—New method of growing, p. 77. Should be watered with brine, p. 41.

B.

Bees—To choose a swarm, p. 216. How to manage them, p. 256.
Beehives—Proper construction of, p. 225.
Birds—Advantageous to farms and gardens, p. 183.
Bleeding—To stop, p. 120. At the nose, p. 168.
Blue Marl—Experiments with, p. 9.
Blue Grass—The Kentucky blue grass recommended, with directions for its cultivation, p. 74, 123, 153.
Boiler—Bentley's steam generator, with a cut, p. 148.
Bommer's Manure—The author's account of it, p. 113. Opinions of others, p. 115, 142, 165, 189, 213, 277.
Breeding—Rules to be observed in breeding animals, p. 121.
Broom Corn—recommended for hay, p. 69, 127.
Buckwheat—Mode of cultivating, p. 110, 142.
Butter—Its manufacture and preservation, p. 131, 178. The Richmond market badly supplied, p. 177.
Buildings—A plan for farm buildings, p. 251.

C.

Capital—Proper disposition of farming capital, p. 222.
Carpets—Should be frequently shaken, p. 187.
Cattle—Directions for stall feeding, p. 18. Simple method of managing unruly cattle, p. 39. The points of a good animal illustrated, with an engraving, p. 179.
Cabbage—To free from lice, p. 104. To cause them to head during winter, p. 9. Good manure for, p. 232.
Carrots—The white Belgian recommended by Mr. Bement, with directions for their cultivation, p. 4, 72.
Carving—To facilitate carving on wood, p. 119.
Chickens—Directions for raising, p. 184, 249. See Gapes.
Choking—Remedy for, p. 239.
Churns—Description of one, with a cut, p. 281.
Charcoal—Result of experiments with, p. 50, 252, 266. Directions for burning, p. 74, 80. Recommended for curing tobacco, p. 230. Should not be relied on for the manure heap, p. 274.
Chinches—To get rid of, p. 18.
Clubs—Value of agricultural clubs, p. 117.
Clay Lands—How to manage, p. 26.
Climate—Mr. Locke's theory, p. 39. Supposed effects of a northern climate, p. 265.

Clearing Land—How it should be conducted, p. 278.
Clover—A box for sowing, with a cut, p. 60. Objected to, p. 93. Best mode of curing clover hay, p. 194.
Cooking—Apparatus for cooking food for stock, with a cut, p. 211.
Communications—The Editor's estimate of original communications, p. 186.
Covering—Benefit of protecting the soil by a cover, p. 239, 243.
Coulter—A winged coulter recommended, with a cut, p. 55. A jumping coulter described, with a cut, p. 139.
Colic—In horses, nature of and remedy for, p. 47, 113.
Corn—Proper distance for planting, p. 56. Double eared recommended for seed, p. 75. Suckering objected to, p. 77. Should be soaked in copperas-water before planting, p. 79. A mixture to put in the hill, p. 95. Mr. Woodson's mode of cultivation, p. 99. Commented on, p. 157. Proper time for planting, p. 10, 57. Soaking for food recommended, p. 19. Sown broadcast for hay, p. 32, 276. Should not be permitted to ear, 77. Broom corn recommended for hay, p. 69. The Roanoke mode of cultivation, p. 209. Mr. Young's mode of cultivation, p. 34. Commented on, p. 66. Mr. Shriver's mode of cultivation, with a drawing and description of the implement with which he made his crop of eighty-five bushels to the acre, p. 36. Reviewed, p. 66. *Firing* prevented by the use of ashes, p. 41. Also by deep tillage, p. 272. Great yield in Henrico, p. 282. Attention should be paid to saving seeds, p. 228. Experiments with plaster, p. 170. Best mode of cultivating corn, p. 198.
Corn and Cob Crusher—Hussey's described, with a cut, p. 44.
Corns—To eradicate, p. 23, 255.
Coughing—To stop, p. 96.
Consumption—An invention to cure, p. 63.
Coal Tar—Recommended for roofs, p. 76. Denounced, p. 146.
Coal Ashes—Experiments with, p. 198.
Cream—A substitute for, p. 135. Directions for making clouted cream, p. 243.
Crab Grass—Its value as a hay crop, p. 222.
Cultivator—Wood's patent described, with a cut, p. 29.
Cucumber—To obtain early, p. 78.
Cultivation—Rows of all plants should run north and south, p. 65.
Culture—Its effect upon vegetables, p. 134.

D.

Ditching—Mr. Watkins' mode of ditching, p. 83. See *Draining*, below.
Dogs—To cure the distemper, p. 31.
Draining—Covered drains recommended, with an estimate of their cost, p. 161, 262.
Drought—Effects of prevented by deep tillage, p. 272. Also by the use of ashes, p. 41.
Dyeing—Recipes for dyeing, p. 138.
Dynamometer—Description of one, with a cut, p. 21. Another, p. 85. Another, p. 259.

E.

- Early*—A compost liquid to hasten the growth of vegetables, p. 251.
Economy of Farming—A new work, p. 208.
Eggs—To secure a plentiful supply during the winter, p. 13. To make hens lay, p. 46, 56. To distinguish male from female eggs, p. 51. To preserve eggs, p. 178. Recommended as an antidote for corrosive sublimate, p. 239. Relieve choking, p. 239.
Encyclopedia—Johnson's Farmer's Encyclopedia recommended, p. 160.

F.

- Farming*—A pattern farm described, p. 27.
Fall Ploughing—Objected to, p. 79. Recommended, p. 252.
Fence—Directions for making a neat and economical enclosure, with a cut, p. 6. A new mode of fencing, p. 85. A machine for making post and rail fence described, with a cut, p. 125. Mr. Miller's plan, p. 156. A neat enclosure for a yard described, with a cut, p. 174.
Fire Wood—Should be seasoned, p. 39, 187.
Fish—Fish ponds recommended to the farmer, p. 207.
Flowers—To preserve them fresh, p. 95. Management of, p. 196.
Fodder—Often pulled too early, p. 278.
Food—Nutritive properties of different kinds, p. 133.
Founder—The value of a recipe for, confirmed, p. 42. A cure for, p. 96.
Fork—A plough-fork for cultivating corn described, with a cut, p. 36.
Fowls—Directions for managing during the winter, p. 13. How to fatten, p. 17. To prevent their ravages, p. 195.
Fruit—The adaptation of the southern climate and soil to the growth of fruit, p. 22, 268. Method of preventing injury from spring frosts, p. 38. Another, p. 40. New plan of making fruit trees, p. 215.
Friction—Reduced by the use of Babbitt's anti-friction metal, p. 60.

G.

- Galls and Gullies*—To remedy, p. 279.
Gapes—In chickens, to cure, p. 186, 198, 221.
Gate—Mr. Rice's plan, with a cut, p. 84. Mr. Wrenn's plan, p. 132. Another, p. 197.
Gardens—Too much neglected by the farmer, p. 59.
Glass—Recommended as a manure for wheat, p. 10.
Gourds—A wonderful yield, p. 262.
Grapes—Value of Norton's seedling, p. 262.
Green Crops—Value of as manure, p. 231, 242.
Grease—To remove from clothes, p. 186.
Grass—New method of seeding meadows, p. 9.—Herdsgrass preferred to clover, p. 129.
Grubbing—A hook for, described, with a cut, p. 78. Another implement, p. 275.
Grubs—To cure, p. 113.
Guano—Its character and properties, p. 196.

H.

- Hay*—To cure, p. 162. Value of crab grass as a hay crop, p. 222.
Hard Times—Good effects of, on agriculture, p. 59.
Herdsgrass—Preferred to clover, p. 129.
Hessian Fly—Mr. McKinney's notion, p. 176. Commented on, p. 212.
Health—To preserve, p. 136.
Henrico Agricultural Society—Their fifth meeting, p. 153. Sixth do. p. 267.
Hinge—Description of a cheap and durable one, with a cut, p. 155.
Hill Sides—Description of an implement for laying off corn rows on hill sides, p. 18.

- Horses*—To cure inflamed eyes, p. 122. Proper mode of feeding, p. 185, 238. To purge, p. 242. To cure the hooks, p. 257.
Horse Shoes—Improvement in, p. 58.
Horsepower—Some excellent suggestions concerning, p. 30. Hall's patent described with a cut, p. 224.
Hogs—Proper management of hogs that run out, p. 42. General directions for managing, p. 61, 250. A description of the Sand Hill hog, illustrated with a cut, p. 220, 257.
Home Industry—The best protection for home manufactures, p. 52.
Hooks—Nature of and remedy for the disease, p. 257.

I.

- Ink*—To make indelible ink, p. 40.
Industry—Anecdote illustrating the effects of industry, p. 230.
Improvement—Dr. Morton's method of improving exhausted land, p. 146. Another, p. 149, 216.
Ivory—To restore its whiteness when discolored by age, p. 187.
Ivy—To extirpate, p. 77.

L.

- Lamp*—A lard lamp recommended and described, with a cut, p. 244.
Lettuce—To have early, p. 79.
Leveller—Description of an implement for levelling ploughed land, p. 166.
Lice—To remove lice from cattle, p. 75. See Cab-bages.
Lime—Its effect upon vegetables, p. 79. Its effect upon sorrel, p. 98, 198. Combined with salt and ashes for manuring, p. 217. When and how lime should be used, p. 151. To remove lime spots from woollen clothes, p. 186.
Locust—The value of the locust tree with directions for its cultivation, p. 80.
Looking Glass—The farmer's, p. 225.

M.

- Machinery*—Difficulty of making machinery for our farmers, p. 205.
Manure—Proper mode of applying, p. 70. Experiments with decomposed animal matter, p. 11. Mr. Jones' mode of managing stable manure, p. 107. Directions for managing the dung heap, p. 118. Use of manure dispensed with, p. 136. A synopsis of Mr. Gaylord's essay on manures, p. 150. An excellent arrangement for saving manure, p. 271. See Bommer.
Marl—An apparatus for testing described, with a cut, p. 203.
Meadows—A new mode of renovating, p. 9.
Mecklenburg Club—Report from, p. 171. Commented on, p. 172.
Milk—Cellars recommended for dairies, p. 229. Proper form for milch cows, p. 231.
Mirrors—To clean, p. 155.
Molasses—Made from apples, p. 119. Recommended as food for horses and hogs, p. 120.
Mud—The value of river mud as manure, p. 6, 19, 215. Proper mode of treating mud for manure, p. 151.

O.

- Old Fields*—The proper mode of treating piny old fields, p. 84.
Orchards—Too much neglected in the South, p. 268.
Overseers—The effect they produce upon the agriculture of the South, p. 271. Their wages, p. 234, 276.
Oxen—Effects of training, p. 257.

P.

- Paint*—Recipe for an economical paint, p. 57. Another, p. 104.

Pasturage—Virginia farmers should till less and pasture more, p. 97.
Peach Trees—Novel mode of managing, p. 269.
Peas—Should be cultivated with corn, p. 79. How they should be cultivated for the purpose of improvement, p. 272.
Pines—How to convert old field pines into lasting posts, p. 57.
Plaster—Experiments with, in Prince George, p. 9. Directions for using, p. 156. Experiments with, p. 170. Valuable in the manure heap, p. 274.
Ploughing—To avoid a headland, p. 103, 136. Fall ploughing objected to, p. 219.
Ploughs—M'Cormick's hill side plough described, with a cut, p. 163. Barnaby & Moer's recommended, p. 164. The use of a gauge wheel recommended, p. 273.
Poll Evil—Remedy for, p. 11, 119.
Potatoes—New variety, p. 11. Directions for cultivating, p. 35. Different effects of planting different parts of the potato, p. 58. To raise early potatoes, p. 77. History of the potato, p. 206. Result of an experiment in cutting off the flowers and buttons, p. 171. A large yield, p. 268.
Poudrette—Mr. Woodfin's mode of manufacturing, p. 65. Certificates of its value, p. 11, 242. Wholly inefficacious, p. 245.
Posts—Directions for setting them in the ground, p. 61. An implement for making post holes, p. 239.
Poultry—Worthy of more attention, p. 124.
Pot-Liquor—Its uses, p. 232.
Premiums—Suggestions as to the proper manner of awarding them at agricultural exhibitions, p. 128.
Puddings—To make one of light bread, p. 237.
Pumpkins—New mode of cultivating, p. 17.

R.

Raspberry—Directions for its culture, p. 198.
Razors—How to sharpen, p. 255.
Reaping Machine—M'Cormick's described, with a cut, p. 12, 45. Hussey's, do. p. 68. The two compared, p. 183.
Rotation—A system recommended, p. 147.
Roller—Description of one, p. 56.
Roots—The value of, p. 4, 65. Advantages of substituting roots for a part of the corn crop, p. 145.
Ruta Baga—Mr. Bement's mode of cultivating, p. 37. Another, p. 56.
Rust—Recommended to cut wheat at once when it is attacked with rust, p. 79. Wheat prevented from rusting by the use of ashes, p. 169. To preserve tools from rusting, p. 147.
Run-Round—To cure, p. 202.

S.

Salt—Its effect upon worms, p. 134. Used to arrest the exhalation of ammonia, p. 134. Combined with lime as manure, p. 217. Its properties as a fertilizer, with directions for its application, p. 151. Should at all times be accessible to animals, p. 274.
Sassafras—To extirpate, p. 147.
Sausages—Recipe for making Oxford sausages, p. 28.
Scours—In calves, to cure, p. 40.
Seeds—The value of grain for seed dependent upon the soil on which it grows, p. 33. Directions for selecting, p. 247. The depths at which they should be planted, p. 258. Varieties may be improved by proper attention to breeding the plants, p. 266.
Servants—Proper system of management, p. 175.
Sheep—To cure the foot-rot, p. 33.
Silk—Prospects of the silk business in America, p. 112.
Single-Tree—Proper construction of, p. 187. Criticised, p. 212.
Sorrel—How affected by the use of lime, p. 98, 198.
Soapstone—Its qualities as a covering for roofs, p. 108.
Soot—Its value as a manure, p. 133.
Soapuds—Their value as a fertilizer, p. 190, 195. How they should be used, p. 232.

Soiling—Its advantages, p. 159.
Soap—Directions for making, p. 178. New mode, p. 240.
Soils—An apparatus for testing their texture, p. 233.
Sponges—To soften, p. 154.
Stall-Feeding—Directions for stall-feeding cattle, p. 18.
Stays—Mr. McPherson's opinion of the practice of lacing, p. 37.
Straw Cutters—The value of cutting feed, p. 46. A new cutter described, p. 92. C. T. Botts' recommended, p. 93.
Steel—Directions for working cast steel, p. 54.
Stones—Should not be entirely removed from land, p. 137.
Sturgeon—To pickle, p. 141.
Stables—Proper management of, p. 32.
Sugar—From cornstalks, directions for making, p. 50.
Suckers—Should not be pulled from the corn, p. 77.
Sweet Potatoes—Vines should not be covered up, p. 80. Recommended as food for stock, p. 95, 195. Mr. Gordon's mode of cultivating, p. 137. Directions for keeping, p. 152.

T.

Tables—Showing the number of hills in an acre at certain distances, p. 85.
Teats—Remedy for sore teats, p. 238.
Timber—Proper time for cutting, p. 57, 90, 98, 188. Essay on timber, p. 89. Machine for felling, p. 101. A composition for preserving timber, p. 117.
Threshing Machine—Exall's, with a cut, p. 116.
Tobacco—Mr. Minor's essay upon the management of tobacco from the plant bed to the prize, p. 1. Continued, p. 25, 29. Commented on, p. 63, 87, 109. Tobacco, an improver, p. 95. Denied, p. 111. Comparative merits of different kinds of tobacco, p. 102. To prevent rot, p. 104. To save from the cut worm, p. 104. A prize for tobacco described, with a cut, p. 108. Comments on Mr. Venable's communication, p. 126-7. Charcoal recommended for curing tobacco, p. 230. How to cure, p. 263. Compared with corn, p. 280.
Tomato—How to cultivate, p. 62. To procure early, p. 77. Recommended as food for cows, p. 94, 173.
Tools—Directions for the management of edge tools, p. 81. To temper edge tools, p. 248.
Turnips—Remedy for the turnip fly, p. 167.

U.

Urine—Fertilizing properties of, p. 35.

V.

Vegetables—How to have them early, p. 252.
Virginia—The present state of agriculture in Virginia, p. 7. Inducements offered by Virginia to emigration from the Northern States, p. 66, 262.

W.

Water—To obtain artificial springs, p. 11.
Wax—To prepare beeswax, p. 43.
Weather—A table of prognostications, p. 202.
Wheat—Specimens received from the Patent Office, p. 63. Glass recommended as a manure for wheat, p. 10. Proper time for cutting, p. 76. Result of an experiment in drilling, p. 79. Improved by harrowing in the spring, p. 79. Result of an experiment in early cutting to save from rust, p. 79. Mediterranean wheat, its claims, p. 214, 253, 259. The Red May recommended, p. 214, 236, 238. Proper quantity of seed to the acre, p. 215, 241.
Whitewash—A recipe for making, p. 104.
Worms—In children, to remove, p. 138.
Wood—To prevent its decay, p. 199, 117.
Worsted Work—To clean, p. 263.
Wrinkles—Cause of their appearance on the horns of cattle, p. 111.

ADVERTISEMENTS.

LAND AGENCY.

THE novel idea of establishing a Land Agency in the City of Richmond, has succeeded beyond the expectations of the originator. His office is nearly filled with applications from those who would be sellers and purchasers. The tide of emigration which is now setting so strongly towards Virginia from the north, has brought him several applications from that quarter. Enquiries have been made for the following descriptions of property. One gentleman wishes to purchase a good wheat and corn farm, of about a thousand acres in the upper country, at from 12 to 18 thousand dollars. Another is looking for a good James River property, at about 20 thousand dollars. An application has also been made for 1500 or 2000 acres of land in a limestone region. Small establishments in the neighborhood of the City of Richmond are in great demand.

Instead of making a separate contract for each particular agency, as he has heretofore done, the subscriber has adopted the following **TERMS** as a reasonable recompense for his services from those who choose to employ his assistance in effecting a sale of their property.

If the property is sold within 12 months from the time at which he is employed, and the amount of sale exceeds \$10,000, a fee of \$100 will be required: if the amount of sale does not exceed ten thousand dollars, a fee of \$50 will be expected. In all cases where no sale is effected within 12 months, a fee of ten dollars will be demanded.

Information and assistance afforded *purchasers* without charge.

C. T. BOTTS.

THE BOMMER MANURE METHOD.

THIS process, by which all kinds of refuse vegetable matter are speedily and cheaply converted into manure of the most fertilizing quality, has been thoroughly tested by some of the most practical and experienced farmers in the Northern and Southern States. The uniform success which has attended its operation, commends it to the attention of every farmer, who wishes to enrich his land at a trifling cost.

With a view of graduating the price to the quantity of land upon which it may be desired to use the method, the following scale has been adopted, viz:

For gardens,	\$ 6 00
Farms, up to 100 acres,	10 00
Do. from 100 to 200 acres,	15 00
Do. from 200 to 300 acres,	18 00
Do. from 300 to 400 acres,	20 00
Over 400 acres in any one farm,	25 00

All letters of enquiry must be post paid.

ABBETT & CO., Baltimore,
Proprietors of the patent right for the
Southern and Western States.

C. T. BOTTS, Agent, Richmond, Va.

July 21, 1843

SOUTH ANNA RIVER LAND FOR SALE.

I WISH to sell that well known and valuable tract of land upon which I reside, lying upon South Anna River and Cedar Creek, in the county of Hanover, 20 miles from Richmond, and a few hundred yards below Crenshaw's Mills, in as healthy and agreeable a neighborhood as any in the county. The tract contains 400 acres, about one-fourth in virgin growth, excellent tobacco land; 75 or 80 acres of creek and river low-grounds of first quality, well ditched and drained. Between 70 and 80 bushels of wheat have been seeded upon the premises, mostly upon fallowed land. There is a plentiful supply of fruits of excellent quality, a comfortable dwelling nearly new, containing four rooms and a passage, with the addition of an excellent cellar; out-houses tolerable. Every part of the tract is supplied with water. This land will be offered privately until Thursday, 7th of December next, at which time it

will be put up on the premises to the highest bidder. Terms made known on the day of sale.

At the same time and place will be sold all of my crop of corn, stock of horses, cows, hogs, plantation utensils, &c. &c.

October 28, 1843.

J. C. PLEASANTS.

STRAW CUTTERS.

IN addition to innumerable testimonials of the value of my Straw Cutter, I have received the following from Genl. Jesup, who wrote for one, that he might submit its claims, in comparison with others, to a committee who were directed to select the best for the use of the United States Army.

QUARTER MASTER GENERAL'S OFFICE,
Washington, Sept. 27, 1843.

MR. C. T. BOTTS,

Sir,—I enclose a copy of the report of Major Ringgold and Capt. Dusenberry, who composed the board to examine and test your Straw Cutter. They are among the most experienced officers of the army, and their opinions are entitled to as much weight as those of any others.

I shall adopt your Straw Cutter as the best that has been invented, and introduce them into the public service as they may be required.

I am, sir,

Most respectfully,

Your obt. st.

TH. S. JESUP.

GENERAL, FORT M'HENRY, Sept. 22d, 1843.

We have the honor to report to you, that in compliance with your request, we have examined, and put to the test the Straw Cutter forwarded by Mr. Botts, of Richmond, and have every reason to be pleased with its performance, model, and apparently with its durability.

It is decidedly the best that has ever been presented to our notice, and we have no doubt it will be found highly useful, and will answer in every respect the purpose intended.

Very respectfully,

Your obt. servts.

S. RINGGOLD, Major U. S. Army.

S. B. DUSENBERRY, A. Qr. Master.

To Major General Jesup, Quarter Master General, Washington, D. C.

These Cutters have obtained such celebrity, especially for the use of negroes in the southern country, that the right to manufacture them, which may be purchased on very low terms, would be a great acquisition to any foundry or machine shop already established.

C. T. BOTTS.

REMOVAL.

JOHN G. WAYT, DENTIST,

HAS removed his office to Bank Square, corner above the Banks, Main Street.

REFERENCE.

M. Clarke, M. D.	Robt. W. Haxall, M. D.
George Watson, M. D.	Thomas Nelson, M. D.
F. H. Deane, M. D.	James Bolton, M. D.
E. H. Carmichael, M. D.	J. A. Cunningham, M. D.

Nov. 28.

B. & S. JONES,

GROCERS & COMMISSION MERCHANTS,

HAVE found it necessary greatly to enlarge their old stand, (Corner of E and 9th Streets, square above the Banks,) are now prepared to sell an extensive assortment of GROCERIES, at wholesale or retail, upon as accommodating terms as they can be had in the city. Country Merchants and Housekeepers are requested to give them a call, before purchasing elsewhere.

Richmond, Nov. 28, 1843.

THE SOUTHERN PLANTER.

THE subscriber respectfully requests his friends and patrons not only to renew their subscriptions to the 4th volume of the Planter, but if he may be so bold, he asks their aid in disseminating a knowledge of the work amongst their neighbors. By this means they may effect something for the cause of agriculture, and a great deal for their

Obedient servant, C. T. BOTTS.

P. S. Specimen numbers of the paper will be gladly furnished to any postmaster or individual who may desire them. For *Terms*, see the first page of the cover.

RICHMOND WOOLLEN MANUFACTORY.

THE Subscribers have taken the building adjoining Haxall's Flour Mill, and are now manufacturing a heavy article of Woollen Cloth, suitable for negroes' wear. Farmers and Country Merchants are invited to call and examine the goods.

Cash, Cloth or Yarn given in exchange for Wool.

JONES & MACKENZIE.

Richmond, August, 1843.

PLOUGHS.

Having completed my preparations in the way of Machinery, &c., I am now prepared to manufacture every description of PLOUGH in a manner that will enable me to compete, in prices and quality, with any made at the North.

To Country Merchants, and others who buy to sell again, I will offer inducements to purchase equal to any they can find in the Union. One great object I have in view is to supply the Southern trade from a Southern Manufactory.

I have now on hand an extensive assortment of the following kinds, viz:—

MCCORMICK'S; DAVIS'; THE MASSACHUSETTS PLOUGH (wrought and cast); and BARNABY & MOERS HILL SIDE PLOUGH.

I am also getting up a few of the Celebrated Loudoun Barshare Ploughs from the most approved model, for the use of the James River Farmers.

These Ploughs will all be Stocked with tough young white Oak, and the Castings and Wrought Iron warranted equal to any.

The expensive and labor-saving apparatus which I have erected, and which is equal if not superior to any in the Union, will enable me to afford Agricultural Implements at the very lowest prices.

N. B.—Castings of superior quality for Agricultural purposes furnished to order.

C. T. BOTTS.

TO THE PUBLIC.

WE have opened our Advertising Columns to our friends. We believe that no better medium can be afforded them, to make their wants known to the public: our circulation is already large, and rapidly increasing, whilst the limited size of our cover secures a careful perusal of all that it contains.

TERMS—For one square or less, first insertion, \$1 50, each continuance 75 cents. For business cards occupying two or three lines \$3 50 per annum; for this trifling amount a business man can thus have thirty thousand cards, at least, struck off and disseminated through the country.

C. T. BOTTS.